

Pornography use among adolescents and the role of primary care

Grace B Jhe ^{1,2,3} Jessica Addison ^{3,4} Jessica Lin ^{3,5,6} Emily Pluhar^{1,2,3,7}

To cite: Jhe GB, Addison J, Lin J, *et al*. Pornography use among adolescents and the role of primary care. *Fam Med Com Health* 2023;**11**:e001776. doi:10.1136/fmch-2022-001776

Received 01 May 2022
Accepted 27 December 2022



© Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Department of Psychiatry and Behavioral Sciences, Boston Children's Hospital, Boston, MA, USA

²Department of Psychiatry, Harvard Medical School, Boston, MA, USA

³Division of Adolescent/Young Adult Medicine, Boston Children's Hospital, Boston, Massachusetts, USA

⁴Department of Pediatrics, Harvard Medical School, Boston, MA, USA

⁵Division of Adolescent and Transition Medicine, Cincinnati Children's Hospital Medical Center, Cincinnati, Ohio, USA

⁶Department of Pediatrics, University of Cincinnati College of Medicine, Cincinnati, OH, USA

⁷Division of Sports Medicine, Boston Children's Hospital, Boston, MA, USA

Correspondence to

Dr Grace B Jhe;
Grace.Jhe@childrens.harvard.edu

ABSTRACT

Given the increase in pornography use among adolescents over the years, we discuss the impact of its use on sexual health development as well as the role of primary care providers (PCPs) in assessing use and providing sexual health education. While pornography use is often viewed negatively, it is important to develop unbiased understanding of the use in order to provide non-judgemental, adolescent-focused and educational care. As PCPs are often the first point of contact when adolescents experience medical and behavioural health concerns, it is essential for them to be equipped to screen for pornography use effectively, create a confidential and comfortable environment to talk about pornography use and sexuality, and be informed of ways to promote open discussion between youth and parents. In addition to PCP involvement, parental collaboration, knowledge and comfortability with discussing pornography use with their child are powerful tools in understanding and navigating pornography use in this population. This special communication seeks to provide an objective view of adolescents' pornography use, guidelines for screening of pornography use and ways to facilitate conversations about the use between adolescents and caregivers.

INTRODUCTION

The internet has become an integral part of the modern lives of adolescents. This allows youth to easily access information and topics of interest online, including sexually explicit material or pornography. Pornography is commonly defined as professionally produced or user-generated sexually explicit pictures or videos intended to sexually arouse the viewer.^{1–3} Increased access to the internet and other online platforms has resulted in a rapid increase in the number of adolescents who encounter and consume pornographic content.^{1,4} As a result, adolescents' exposure to pornography has been a great concern for parents, teachers and the general public.² Pornography has the potential to impact adolescent development both negatively and positively. It is a greatly complex media, making it a particular concern for primary care providers (PCPs) and parents as they are often the first point of contact when adolescents experience any issues with well-being, including physical or mental health

concerns.^{5–7} Having an unbiased understanding of the impact of pornography use on adolescent development lays the groundwork for healthcare providers to support adolescents in their sexual development and health. In this special communication, we seek to provide guidelines for medical providers to integrate routine screening and counselling of pornography use as a part of adolescent primary care and offer recommendations for how to facilitate conversations that may arise between youth and parents regarding the use.

PREVALENCE OF PORNOGRAPHY USE IN TEENS

Adolescent pornography use has continuously increased over time and the age of first exposure to sexually explicit materials has also been getting younger.⁸ The estimates of prevalence rates have varied,² but nationally representative surveys of adolescents in the USA have found that 68.4% reported exposure to online pornography.⁹ Another study in the USA found 42% of youth between the ages of 10 and 17 reported viewing online pornography.⁴ Other prior studies have shown that 19%–37% of teens reported intentional use^{10,11} while unintentional pornography use in adolescents range from 35% to 66%.^{4,12} Both intentional and unintentional use of pornography has increased in frequency with age and sexual development.^{1,4,12} Furthermore, social or environmental changes can also have an effect. Reported pornography use increased even more in the setting of the COVID-19 pandemic, lockdowns and social distancing.¹³ One of the biggest pornography websites, Pornhub, reported an 11% increase in its viewership in just 1 month from February 2020 to March 2020.¹⁴

Gender is also an important factor to account for when considering the prevalence of pornography use, with males more likely to report pornography use.^{15,16} However, national and international studies have found that although males more often use pornography, it is not uncommon for female adolescents to engage in its use as well.¹⁷ A study

found that in a sample of 1000 adolescents, 66% of males and 39% of females had watched online pornography.¹⁵ And, up to 93% of male adolescents and 52% of female adolescents between ages of 16 and 19 in Germany reported having watched movies with pornographic material online.¹⁶

THE IMPACT OF PORNOGRAPHY ON SEXUAL HEALTH AND WELL-BEING

There is a wide range of negative and positive effects of pornography on adolescent sexual health and development, impacting their sexual attitudes, beliefs and behaviours.¹ Focusing on the negative effects first, studies have found that exposure to pornography may set unrealistic beliefs and attitudes about sex.³ Adolescents may expect what they observe in pornography to be similar to real-world sexual experiences.¹⁸ It may also influence them to perceive sex as primarily physical and casual, rather than emotional and relational.^{1 19} Moreover, research suggests that the more adolescents use pornography, the more they experience sexual preoccupation²⁰ and sexually permissive attitudes.^{21 22} These attitudes may include beliefs that women are sex objects rather than relations or partners.²³ And adolescent males, in particular, who had been exposed to sexually violent media, reported more accepting attitudes towards teen dating violence and sexual violence.²⁴

Exposure to pornography may also impact sexual behaviours. These behaviours include, more frequent engagement in casual sex,^{19 22} high-risk sexual behaviours such as sex with multiple partners and substance use during sex.²⁵ Adolescents may also exhibit a higher tendency to have sexual intercourse and experience sexually coercive behaviour.²⁶ Male adolescents who are exposed to frequent pornographic material may also exhibit higher levels of sexual aggression compared with those with infrequent exposure to pornography.²⁷

However, while the effect of pornography on adolescents is often viewed negatively, the empirical understanding of the impact of pornography is actually quite complex.² Study findings have been contradictory and inconclusive, frequently laced with methodological challenges and cultural bias. The majority of previous studies were based on correlations, not causations, limiting conclusions that can be drawn from the findings. However, more recently, research has examined some potential positive aspects of pornography. In order to provide the best evidence-based counselling to adolescent patients, it is important to recognise positive aspects of pornography use to formulate an objective conclusion of the impact of pornography on adolescent sexual health.

In fact, pornography may aid in adolescents' sexual development and enhance sexual relationships as well as knowledge. Pornography has been viewed as an educational tool in addition to its use for sexual gratification or as a leisure activity.²⁸ A study²⁹ found that when asking individuals how pornography impacted them,

respondents stated that it helped with sexual confidence because it introduced them to sexual acts that they would not have explored otherwise. Similarly, pornography allows experimentation with sexual attraction, which can be useful in the sexual identification of gender identity and sexual orientation.³⁰ Moreover, pornography may support sexual development by teaching individuals about sexual acts through demonstration and increase confidence.³⁰ Studies suggest that pornography may help inform what sexual partners might enjoy, encouraging greater self-confidence and a more positive sexual identity.²⁹ Balancing the negative and positive effects of pornography use will help create clarity for adolescents and health professionals.

MOTIVATION FOR PORNOGRAPHY USE

There are different motivational factors driving pornography use, such as mood management, habitual use and fantasy.³¹ Pornography may be used as a way of seeking sensation, an impulsivity-related characteristic. These individuals with higher levels of sensation seeking behaviours may report a greater frequency of pornography use and higher risk of developing problematic pornography use.^{18 32}

Exploring the motivation for pornography use may allow PCPs and caregivers to gain insight into adolescents' psychosocial needs. Common traits in adolescents who have higher rates of pornography use include more advanced pubertal development, minimal caregiver supervision and emotional connection, family conflict, and behavioural problems.^{2 27} Individuals with attachment difficulties may engage in pornography use as a way to seek relational or sexual connectedness and/or comfort without any emotional commitment, reducing any fears of rejection or abandonment.³³ Related to this, another study found that youth may seek pornography to increase their sense of belongingness and decrease loneliness.³⁴ Lastly, individuals may consume pornography as a way to manage feelings of emotional stress or discomfort.^{1 35} For example, during the COVID-19 lockdowns, individuals may have used pornography as a way to distract themselves from loneliness, distress, boredom or other pandemic-related negative emotions.¹³

THE ROLE OF PRIMARY CARE IN SEXUAL HEALTH EDUCATION

PCPs hold a unique position in being able to identify and assess for behaviours that can impact adolescent psychosocial development. Furthermore, PCPs are able to incorporate various aspects of sexual and reproductive healthcare to provide well-informed guidance to adolescents.³⁶ In fact, sexuality plays an integral role in the identity and development of adolescents. They may have questions or misunderstandings about issues, such as masturbation, menstruation, sexual fantasies, orgasms and sexual orientation.³⁷ Not only is it important for clinicians to gather sexual history, it is recommended that PCPs assess the use

of pornography as part of sexual history to determine how its use may be affecting adolescent psychosexual development. However, there continues to be a marked gap between research and clinical practice regarding adolescent pornography use.³⁸ Sexual health or behaviour is infrequently discussed in adolescent health visits in primary care^{39 40} and even if they do occur, the discussion is often very brief; the average length of sexuality talk in adolescent health maintenance visits was found to be 36 s.³⁹

Screening youth for pornography viewing (eg, frequency of use, content of pornography, motivations for use) should be a routine part of paediatric and adolescent health care.⁴¹ Adolescents see their PCP for a variety of reasons that include routine healthcare maintenance exams, urgent care concerns, and sexual and reproductive health. At each visit organisations, such as the Academy of Pediatrics and The Society of Adolescent Health and Medicine, recommend that part of the visit be conducted with the adolescent alone in efforts to foster a confidential, trusting relationship with their provider.^{42 43} Prior to the confidential portion of the clinical encounter, parents/guardians and adolescents are informed that the information that is shared with the provider will be treated as confidential. Furthermore, any reasons to why confidential will be breached (ie, acute suicidality or other safety concerns) are shared with all parties. During this confidential alone time, providers can normalise the discussion around sexual health and how it is part of their routine care for everyone in efforts to reduce feelings of shame and discomfort around discussing pornography use,⁴⁴ as well as to further prevent them from seeking unreliable information via the Internet or peers. School-based sexual health education is also limited in scope (eg, not including porn literacy⁴⁵ and amount of time spent), which is not conducive to an environment where adolescents feel safe and comfortable asking questions. However, PCPs can offer guidance in a safe environment to provide accurate information and play a significant role in sex education, especially in settings where there is not a standardised, unbiased curriculum within an educational system. Sexual education provided by PCPs would be more accurate, reliable and safer than online search which is often adolescents' first step in accessing information about sexual health.⁴⁶ Adolescents are often hesitant to seek sexual health services for reasons such as feeling judged and concerns around confidentiality.^{47 48} Therefore, it is important for providers to seek to foster a relationship with adolescent patients, create a confidential and comfortable environment, and be able to inquire about and provide information on sexual health and behaviours.

CLINICAL ASSESSMENT OF PORNOGRAPHY USE

Paediatricians are encouraged to specifically screen for pornography use. In order for clinical interactions with adolescent patients to be effective, providers are

encouraged to self-reflect and acknowledge their own biases around pornography and sexual health. Making this discussion part of routine clinical care reduces stigma and can also uncover reasons why certain concerns exist in this age range, such as erectile dysfunction, body image concerns and high-risk sexual behaviours or sexually aggressive behaviours.

The HEADSS (ie, Home, Education, Activities, Drugs, Sex, Suicide) assessment is a tool that provides a framework for conducting a comprehensive, psychosocial interview.⁴⁹ It is widely used in the adolescent healthcare field and provides a structured format to facilitate communication that is confidential, respectful and creates an environment where youth can feel comfortable discussing sensitive topics. It is recommended that this assessment is conducted at minimum yearly at routine health maintenance examinations. Inquiring about sexuality and sexual practices is part of this assessment and can help providers initiate this conversation. For adolescents 12 years of age and older, a discussion of sexual activity ('S') or activities in general ('A') should include an assessment of pornography viewing as part of their social media use as well as patients' perception of such material.^{36 50} Table 1 is adapted from various studies^{7 51 52} that outlines three points to include in routine visits and guidelines for how to further assess for pornography use when it is endorsed. If viewing is affirmative, it is important to assess the frequency of viewing. Inquiring about specific content matter is important to discuss as it can influence sexual intimacy and skew their view on real-life intimate relationships.⁴¹ If viewing pornography results in health complications, including sleep problems, immune function and sedentary cardiovascular disease, then appropriate referrals should be made for continued evaluation and support. It is also important to consider that adolescents may not be forthcoming with their pornography use at first or there might be other urgent issues that need to be addressed outside of screening for pornography use. That is why it is important to screen and incorporate discussion into routine practice at least on a yearly basis using the HEADSS assessment. Fostering rapport and trust will allow adolescents to feel more comfortable in disclosing these behaviours.

THE ROLE OF PARENTS IN SEXUAL HEALTH EDUCATION

Just as PCPs play a significant role in adolescents' sexual health, parents are also an integral part and can influence pornography use based on their views and attitudes on sexuality.⁵³ Many parents are reluctant to initiate a discussion on the topic of sexuality with their child.^{54 55} Parents' reactions to their child watching porn can include anger, shame, denial, fear and feeling punitive.⁵⁶ Normalising this discussion in routine medical visits can help reduce stigma or address parental bias. This discussion can be facilitated by the adolescents' PCPs, in efforts to foster an open dialogue among family members. This can help break the ice if a parent or child finds this topic awkward

Table 1 Provider recommendations on how to initiate screening of pornography use

All routine visits should include ⁵²	<ul style="list-style-type: none"> ▶ Discussion about sex and sexuality. ▶ Screening for high-risk sexual behaviour. ▶ Allowing space for teens to ask questions and gather accurate and safe resources.
If screening is positive for pornography use ⁷	<p>History of pornography use</p> <ul style="list-style-type: none"> ▶ Define the specific behaviour ▶ Assess duration (ie, when did it start), intensity (ie, violent, soft porn) and frequency (ie, how often used) ▶ Identify symptoms of current behaviour and how it is interfering in day-to-day functioning. ▶ Which specific areas of functioning are impacted by pornography (ie, intrapersonal, interpersonal, sleep, academic performance, mood lability and physical health (neck or genital pain)). <p>The function of the behaviour</p> <ul style="list-style-type: none"> ▶ Help patient identify the function of the behaviour ▶ Some examples would be: avoidance, boredom, negative affect management, emotion regulation and socialisation. <p>Past mental health/physical health history</p> <ul style="list-style-type: none"> ▶ Review all former and current symptoms, diagnoses and treatments ▶ Research shows that there are higher rates of mental health diagnoses and family challenges with teens engaging in pornography. <p>Review/assess social and developmental history</p> <ul style="list-style-type: none"> ▶ Developmental milestones ▶ Academic History (learning disorders, 504 Plans). ▶ Social history (ie, friends, acquaintances, significant others, social anxiety, social isolation, bullying). ▶ Family history (med and psych hx, involvement, substance abuse, abuse, neglect).
How PCP's can foster parent-child communication about pornography ⁵¹	<ul style="list-style-type: none"> ▶ Encourage early parental education at home about: sexuality contraception and pornography. ▶ Discuss strategies for promoting healthy and safe use of pornography. ▶ Make sure that education and discussion is consistent with 'family's attitudes, values, beliefs and circumstances'. ▶ Discuss strategies for promoting healthy and safe use of pornography. ▶ Help families use reputable sources of information.
PCP, primary care provider.	

to discuss. Topics such as privacy issues, risks of viewing, as well as how to responsibly and safely view and interpret pornography content are important to discuss with an adolescent. Adaptations of suggestions for parents on how to facilitate this discussion⁵⁷ are outlined in **box 1**.

Research suggests that parents would like their child's PCP to provide them with guidance and resources on how to have family discussions about pornography.⁵⁶ However,

Box 1 Recommendations for parents on how to facilitate conversations about pornography use with your child

1. Educate yourself first. Ask your provider for resources. Explore them.
2. Consider your own emotions and values and what it is important for you to communicate.
3. Be clear and candid and admit when you do not know the answer.
4. Establish a common language for talking about sexuality and create conversational ground rules to foster a non-judgemental atmosphere.
5. Use teachable moments to have conversations related to a variety of topics on a regular basis. (eg, found child watching pornography)

Adaptations of suggestions for talking to parents about adolescents' sexuality.⁵⁷

there is currently a lack of evidence-based guidance that is adolescent-focused, non-judgemental and culturally sensitive.⁵⁶ There is a pressing need for the development and evaluation of developmentally and culturally appropriate scripts for parent-child communication about pornography.

CONCLUSION

As pornography use continues to rise among adolescents, PCPs are more likely to encounter it in clinical settings, making it necessary for them to play an active role in screening, conducting assessments and providing guidance. Having an unbiased understanding of the impact of and function of pornography use in adolescents is crucial to supporting them through their sexual development. It is critical for adolescents' sexual health education to equip them with accurate and helpful knowledge regarding pornography and enable them to think critically about consumption. The more we stigmatise pornography, the more we push it underground and the less we will be able to understand its impact on sexual health among adolescents. In this manner, it would be important for future

research to evaluate the effectiveness of adding pornography use screening as part of the HEADSS assessment. It may also be worthwhile for future research to focus on how to promote porn literacy and use pornography as an intervention for promoting sexual health (such as demonstrating safe sexual practices, obtaining consent, exploring and understanding ones sexual or gender identity). It is time to normalise the discussion and make screening part of routine medical care to promote healthy and safe sexual development.

Contributors GBJ and EP planned the direction of the manuscript and GBJ led and oversaw the manuscript preparation process. GBJ, JA and EP wrote the first draft of the manuscript and all authors, including JL, contributed to and have approved the final manuscript.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Grace B Jhe <http://orcid.org/0000-0002-3378-2526>

Jessica Addison <http://orcid.org/0000-0002-4144-544X>

Jessica Lin <http://orcid.org/0000-0002-4918-6913>

REFERENCES

- Owens EW, Behun RJ, Manning JC, *et al*. The impact of Internet pornography on adolescents: a review of the research. *Sex Addict Compulsivity* 2012;19:99–122.
- Peter J, Valkenburg PM. Adolescents and pornography: a review of 20 years of research. *J Sex Res* 2016;53:509–31.
- Tsitsika A, Critselis E, Kormas G, *et al*. Adolescent pornographic Internet site use: a multivariate regression analysis of the predictive factors of use and psychosocial implications. *Cyberpsychol Behav* 2009;12:545–50.
- Wolak J, Mitchell K, Finkelhor D. Unwanted and wanted exposure to online pornography in a national sample of youth Internet users. *Pediatrics* 2007;119:247–57.
- Sajisevi M, Cohen S, Raynor E. Pediatrician approach to dysphonia. *Int J Pediatr Otorhinolaryngol* 2014;78:1365–7.
- Southammakosane C, Schmitz K. Pediatric psychopharmacology for treatment of ADHD, depression, and anxiety. *Pediatrics* 2015;136:351–9.
- Pluhar E, Lois RH, Burton ET. Nonsuicidal self-injury in adolescents: current developments to help inform assessment and treatment. *Curr Opin Pediatr* 2018;30:483–9.
- Greenfield PM. Inadvertent exposure to pornography on the Internet: implications of peer-to-peer file-sharing networks for child development and families. *J Appl Dev Psychol* 2004;25:741–50.
- Wright PJ, Herbenick D, Paul B. Adolescent condom use, Parent-adolescent sexual health communication, and pornography: findings from a U.S. probability sample. *Health Commun* 2020;35:1576–82.
- Ybarra ML, Mitchell KJ, Hamburger M, *et al*. X-Rated material and perpetration of sexually aggressive behavior among children and adolescents: is there a link? *Aggress Behav* 2011;37:1–18.
- Hardy SA, Steelman MA, Coyne SM, *et al*. Adolescent religiousness as a protective factor against pornography use. *J Appl Dev Psychol* 2013;34:131–9.
- Mitchell KJ, Wolak J, Finkelhor D. Trends in youth reports of sexual solicitations, harassment and unwanted exposure to pornography on the Internet. *J Adolesc Health* 2007;40:116–26.
- Grubbs JB, Perry SL, Grant Weinandy JT, *et al*. Pornademic? A longitudinal study of pornography use before and during the COVID-19 pandemic in a nationally representative sample of Americans. *Arch Sex Behav* 2022;51:1–5.
- Pornhub Insights. Coronavirus insights. Available: <https://www.pornhub.com/insights/corona-virus> [Accessed 01 Jul 2021].
- Short MB, Black L, Smith AH, *et al*. A review of Internet pornography use research: methodology and content from the past 10 years. *Cyberpsychol Behav Soc Netw* 2012;15:13–23.
- Weber M, Quiring O, Daschmann G. Peers, Parents and Pornography: Exploring Adolescents' Exposure to Sexually Explicit Material and Its Developmental Correlates. *Sex Cult* 2012;16:408–27.
- Collins RL, Strasburger VC, Brown JD, *et al*. Sexual media and childhood well-being and health. *Pediatrics* 2017;140:S162–6.
- Peter J, Valkenburg PM. Processes underlying the effects of adolescents' use of sexually explicit internet material: The role of perceived realism. *Communic Res* 2010;37:375–99.
- Häggström-Nordin E, Sandberg J, Hanson U, *et al*. 'It's everywhere!' young Swedish people's thoughts and reflections about pornography. *Scand J Caring Sci* 2006;20:386–93.
- Peter J, Valkenburg PM. Adolescents' Exposure to Sexually Explicit Internet Material and Sexual Preoccupancy: A Three-Wave Panel Study. *Media Psychol* 2008;11:207–34.
- Brown JD, L'Engle KL. X-Rated: sexual attitudes and behaviors associated with us early adolescents' exposure to sexually explicit media. *Communic Res* 2009;36:129–51.
- Braun-Courville DK, Rojas M. Exposure to sexually explicit web sites and adolescent sexual attitudes and behaviors. *J Adolesc Health* 2009;45:156–62.
- Peter J, Valkenburg PM. Adolescents' Exposure to Sexually Explicit Internet Material and Notions of Women as Sex Objects: Assessing Causality and Underlying Processes. *J Commun* 2009;59:407–33.
- Rodenhizer KAE, Edwards KM. The impacts of sexual media exposure on adolescent and emerging adults' dating and sexual violence attitudes and behaviors: a critical review of the literature. *Trauma Violence Abuse* 2019;20:439–52.
- Brown D, Sarah K, Sex SSJ. Sex, sexuality, sexting, and sex ed: adolescents and the media. *The Prevention Researcher* 2009;16:12–17.
- Flood M. The harms of pornography exposure among children and young people. *Child Abuse Review* 2009;18:384–400.
- Ybarra ML, Mitchell KJ. Exposure to Internet pornography among children and adolescents: a national survey. *Cyberpsychol Behav* 2005;8:473–86.
- Albury K. Porn and sex education, porn as sex education. *Porn Studies* 2014;1:172–81.
- Rothman EF, Adhia A, Christensen TT, *et al*. A pornography literacy class for youth: results of a feasibility and efficacy pilot study. *Am J Sex Educ* 2018;13:1–17.
- McCormack M, Wignall L. Enjoyment, exploration and education: understanding the consumption of pornography among young men with non-exclusive sexual orientations. *Sociology* 2017;51:975–91.
- Paul B, Shim JW. Gender, sexual affect, and motivations for Internet pornography use. *International Journal of Sexual Health* 2008;20:187–99.
- Beyens I, Vandenbosch L, Eggermont S. Early adolescent boys' exposure to Internet pornography: Relationships to pubertal timing, sensation seeking, and academic performance. *The Journal of Early Adolescence* 2015;35:1045–68.
- Niazof D, Weizman A, Weinstein A. The contribution of ADHD and attachment difficulties to online pornography use among students. *Compr Psychiatry* 2019;93:56–60.
- Tian Y, Zhang S, Wu R, *et al*. Association between specific Internet activities and life satisfaction: the mediating effects of loneliness and depression. *Front Psychol* 2018;9:1181.
- Mattebo M, Tydén T, Häggström-Nordin E, *et al*. Pornography consumption and psychosomatic and depressive symptoms among Swedish adolescents: a longitudinal study. *Ups J Med Sci* 2018;123:237–46.
- Grubb LK, Powers M, COMMITTEE ON ADOLESCENCE. Emerging issues in male adolescent sexual and reproductive health care. *Pediatrics* 2020;145:e20200627.
- Fortenberry JD. Puberty and adolescent sexuality. *Horm Behav* 2013;64:280–7.
- Farré JM, Montejó AL, Agulló M, *et al*. Pornography use in adolescents and its clinical implications. *J Clin Med* 2020;9:3625.
- Alexander SC, Fortenberry JD, Pollak KI, *et al*. Sexuality talk during adolescent health maintenance visits. *JAMA Pediatr* 2014;168:163–9.
- Sieving RE, McRee A-L, Mehur C, *et al*. Sexual and reproductive health discussions during preventive visits. *Pediatrics* 2021;148. doi:10.1542/peds.2020-049411. [Epub ahead of print: 12 07 2021].
- Hornor G. Child and adolescent pornography exposure. *J Pediatr Health Care* 2020;34:191–9.



- 42 Adelman W, Braverman PK, Alderman EM, *et al*. Achieving quality health services for adolescents. *Pediatrics* 2016;138:e20161347.
- 43 Hagan J, Coleman WL, Foy JM, *et al*. Sexuality education for children and adolescents. *Pediatrics* 2001;108:498–502.
- 44 Dawson K, Nic Gabhainn S, MacNeela P. Toward a model of porn literacy: core concepts, rationales, and approaches. *J Sex Res* 2020;57:1–15.
- 45 Goldstein A. Beyond porn literacy: drawing on young people's pornography narratives to expand sex education pedagogies. *Sex Educ* 2020;20:59–74.
- 46 Litras A, Latreille S, Temple-Smith M. Dr Google, porn and friend-of-a-friend: where are young men really getting their sexual health information? *Sex Health* 2015;12:488–94.
- 47 Rubin SE, McKee MD, Campos G, *et al*. Delivery of confidential care to adolescent males. *J Am Board Fam Med* 2010;23:728–35.
- 48 McKee MD, O'Sullivan LF, Weber CM. Perspectives on confidential care for adolescent girls. *Ann Fam Med* 2006;4:519–26.
- 49 Goldenring JM, Rosen DS. Getting into adolescent heads: an essential update. *Contemporary Pediatrics* 2004;21:64–92.
- 50 Klein D, Goldendring J, Adelman W. HEADSSS 3.0: the psychosocial interview for adolescents updated for a new century fueled by media. *Contemporary Pediatrics* 2014;1:1–14.
- 51 Breuner CC, Mattson G, *et al*, COMMITTEE ON ADOLESCENCE. Sexuality education for children and adolescents. *Pediatrics* 2016;138:e20161348.
- 52 Bright Futures. *Guidelines for health supervision of infants, children, and adolescents*. 4th Edn, 2021. https://brightfutures.aap.org/Bright%20Futures%20Documents/BF_HealthySocialMedia_Tipsheet.pdf
- 53 Hardy SA, Hurst JL, Price J, *et al*. The socialization of attitudes about sex and their role in adolescent pornography use. *J Adolesc* 2019;72:70–82.
- 54 Malacane M, Beckmeyer JJ. A review of parent-based barriers to parent-adolescent communication about sex and sexuality: implications for sex and family educators. *Am J Sex Educ* 2016;11:27–40.
- 55 Beckett MK, Elliott MN, Martino S, *et al*. Timing of Parent and Child Communication About Sexuality Relative to Children's Sexual Behaviors. *Pediatrics* 2010;125:34–42.
- 56 Rothman EF, Paruk J, Espensen A, *et al*. A qualitative study of what us parents say and do when their young children see pornography. *Acad Pediatr* 2017;17:844–9.
- 57 Ashcraft AM, Murray PJ. Talking to parents about adolescent sexuality. *Pediatr Clin North Am* 2017;64:305–20.